

# Safety Data Sheet

## Shannon Specialty Floors TUF STIK-SPX

Revision date: Nov. 5, 2015

Version: 2

### 1. Identification

#### **Shannon Specialty Floors TUF STIK -SPX**

Recommended use of the chemical and restriction on use: installation of flooring materials over approved subfloor – vinyl, rubber, fiberglass and polyolefin backed flooring

#### **Details of the supplier of the safety data sheet**

##### Company:

Shannon Specialty Floors  
1005 South 60<sup>th</sup> Street  
Milwaukee, WI 53214

Telephone number: (414) 771-9166

**Emergency Telephone Number: Chemtrec 1-800-424-9300**  
CCN794556

#### **Other Means of Identification**

Modified Silane blend

---

### 2. Hazards identification

According to regulation 2012 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200

**Classification of the Product:**

No need for classification according to GHS criteria for this product.

**Label Elements**

This product does not require a hazard warning label in accordance with GHS criteria.

**Hazards not otherwise classified**

None known if used according to instructions. Irritation may occur when in contact with eyes and skin.

Labeling of special preparations (GHS):

None required

**According to Regulation 1994 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200**

**Emergency Overview**

Caution:

May cause skin irritation if not removed after skin contact.

Use with use with local exhaust ventilation.

Use protective equipment for eyes, skin protection.

**3. Composition / Information on Ingredients**

**According to Regulation 1994 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200**

This product does not contain any components classified as hazardous under the referenced regulation.

**According to Regulation 1994 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200**

| <u>CAS number</u> | <u>Content</u> | <u>Chemical Name</u>         |
|-------------------|----------------|------------------------------|
| Trade Secret      | 35 - 55        | Silylated Polyurethane Resin |
| Trade Secret      | 1-5            | Plasticizer                  |
| 1317-65-3         | 30-40          | Calcium carbonate            |
| Trade Secret      | 1-5            | Additives                    |
| 25322-69-4        | 10-20          | Polypropylene glycol         |

#### 4. First Aid Measures

##### Description of First Aid measures

###### General Advice:

Upon contact, remove material from skin, eyes, and clothing. If irritation persists, seek medical attention.

###### If inhaled:

Remove individual to fresh air if needed.

###### If on Skin:

Wash with mild soap and water.

###### If in eyes:

Open eyelids and flush with running water for at least 15 minutes.

###### If Swallowed:

Do not induce vomiting. Seek medical help immediately.

##### Most Important symptoms and effects, both acute and delayed

None expected due to non-classification of the product.

##### Indication of any immediate medical attention and special treatment needed

###### Note to physician

Treatment: Symptomatic treatment

---

#### 5. Fire-Fighting Measures

##### Extinguishing Media

Use Water spray, foam, dry powder when needed.

##### Special hazards arising from the substance or mixture

Material is a mixture of organic compounds. Compounds of carbon may arise during burning.  
Advice for fire-fighters

Wear self-contained breathing apparatus and turn out gear. Use water to keep the containers cool.

##### Further Information:

Dispose debris and contaminated clothing in accordance with regulations.

---

## 6. Accidental release measures

Further accidental release measures: Slip hazard when spilled.

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Avoid contact with skin and eyes.

### **Environmental Precautions**

Do not release spilled material into natural waters.

### **Methods and material for containment and cleaning up**

Remove material using absorbents. Scrape off excess and place in closed DOT approved containers for disposal.

---

## 7. Handling and Storage

### **Precautions for Safe Handling**

Do not puncture. Keep out of the reach of children.

### **Conditions for safe storage, including any incompatibilities**

Keep from freezing. Avoid extreme temperatures.

---

## 8. Exposure Control/ Personal Protection

**Advice on system design:** Maintain proper ventilation

---

### **Personal protective equipment:**

**Respiratory protection:** NIOSH respirator if needed. Use local exhaust ventilation. Do not use closed air-circulating system.

**Skin protection:** chemical resistant gloves, apron, coveralls, and boots to prevent unnecessary contact.

**Eye protection:** safety glasses, goggles, or face shield

### **General safety and hygiene safety measures:**

Wash hands and /or face before and after use. Launder contaminated clothing before re-use. Always use protective equipment to avoid direct contact.

---

## 9. Physical and Chemical Properties

**Form:** low viscosity liquid

**Odor:** mild

**Odor threshold:** no data

**Color:** off white

**pH value:** not applicable

**Melting point:** not applicable

**Boiling point:** no data

**Flash point:** not applicable

**Flammability:** non- flammable **Lower**

**Explosion Limit:** not applicable **Upper**

**Explosion Limit:** not applicable **Vapor**

**Pressure:** low

**Density:** 7.58 – 7.95

**Relative density:** 0.91 – 0.95 grams / cm<sup>3</sup>

**Vapor density:** low

**Partition Coefficient n-octanol /water (log Pow):** no data **Self ignition temperature:** not applicable

**Viscosity, dynamic:** 57,500 – 65,000 cps

**Solubility in water:** insoluble **Miscibility**

**in water:** not miscible **Evaporation**

**rate:** low

**Other information:** Moisture cure product. Product will start curing in the presence of moisture.

**VOC, g/l less water, less exempt solvent:** < 0.05

---

## 10. Stability and Reactivity

**Reactivity:** Stable

**Chemical stability:** Stable

**Possibility of hazardous reactions:** None, product is stable.

**Conditions to avoid:** Extreme temperatures.

**Incompatible materials:** water. Product is a moisture curing material.

**Hazardous decomposition products:** None known.

---

## 11. Toxicological Information

No data available

**Primary routes of exposure:** respiratory, eyes, skin. Ingestion is not likely but might cause gastric disturbances.

**Acute Toxicity / Effects**

Acute toxicity: may cause irritation upon contact.

**Chronic Toxicity Effects**

Repeated dose toxicity: no data available

Genetic toxicity: no data available

Carcinogenicity: not carcinogenic

Reproductive toxicity: no data available

Teratogenicity: no data available

Experiences in humans: no data available

Other Information

---

**12. Ecological Information**  
No data available

---

**13. Disposal Considerations**  
Abide by all State, federal and local regulations

---

**14. Transport Information**  
Proper Shipping name: Not applicable  
Proper Hazard Class: Not hazardous  
Hazard Code: None hazardous  
Bill of Lading description:  
**Adhesives, NOI**

---

**15. Regulatory Information:**

### **Federal Regulations**

#### **Registration status:**

TSCA: Chemicals contained in the product are either listed or exempt in the U.S. EPA TSCA inventory list.

SARA Title III, Section 312 Hazard Class: None

EPA SARA Title III Section 312: None

#### **State regulations:**

##### **CA Prop 65:**

##### **NFPA Hazard Codes:**

**Health: 1      Fire: 0      Reactivity: 0      Special:**

##### **HMIS rating:**

**Health: 1      Flammability: 0      Physical hazard: 0**

---

## **16. Other Information**

**SDS prepared by:** supplier for Shannon Specialty Floors

**SDS prepared on:** November 5, 2015

Shannon Specialty Floors believes the data set forth herein are accurate as of the date hereof. Shannon Specialty Floors makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.

