

**CLASSIFICATION:** 09 65 16.23 VINYL SHEET FLOORING

**PRODUCT DESCRIPTION:** TEKNOFLOR® Classic Cut HPD™ combines exceptional beauty, durable performance and complementary design collections to create floors with maximum flexibility and dependability. Classic Cut HPD features a traditional linen design and can be used independently or blended with our many other Teknoflor collections to achieve unique, classic designs with creative flair. Classic Cut HPD resilient sheet flooring's no wax, no buff construction, along with a 12-Year Warranty ensures that your floor is as durable as it is beautiful.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

*Are All Substances Above the Threshold Indicated:*

**Characterized**  Yes  No  
*Percent Weight and Role Provided?*

**Screened**  Yes  No  
*Using Priority Hazard Lists with Results Disclosed?*

**Identified**  Yes  No  
*Name and Identifier Provided?*

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

**TEKNOFLOR® CLASSIC CUT HPD™** [ **POLYVINYL CHLORIDE (PVC)** **LT-P1** ]  
| RES **CALCIUM CARBONATE** **BM-3** **BIS(2-ETHYLHEXYL)**  
**TEREPHTHALATE** **BM-3** **SILICA, AMORPHOUS** **LT-P1** | CAN **SOYBEAN OIL,**  
**EPOXIDIZED, ME ESTER, REACTION PRODUCTS WITH PROPYLENE**  
**GLYCOL** **LT-UNK** **2-PROPENOIC ACID, METHYL ESTER, POLYMER WITH**  
**1,1-DICHLOROETHENE** **LT-UNK** **BARIUM DISTEARATE** **LT-UNK** **ZINC**  
**STEARATE** **LT-UNK** **2-(ACRYLOYLOXY)ETHANOL** **LT-P1** | AQU | MAM | SKI |  
MUL **2-HYDROXYPROPYL ACRYLATE** **LT-UNK** | RES | MAM | SKI  
**BENZOPHENONE** **LT-1** | CAN | END **METHYL BENZOYLFORMATE** **LT-UNK**  
**GLYCEROL PROPOXYLATE TRIACRYLATE** **LT-UNK** **1,6-HEXANEDIOL**  
**DIACRYLATE** **LT-P1** | SKI | EYE | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: FloorScore  
VOC content: REACH SCHC

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2018-08-17

PUBLISHED DATE: 2018-08-17

EXPIRY DATE: 2021-08-17



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

## TEKNOFLOR® CLASSIC CUT HPD™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Teknoflor® does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have 1) disclosed all known, intentionally-added ingredients; 2) Tested Teknoflor® Classic Cut HPD to ensure it is free of Red List Heavy Metals, Phthalate-Free, Formaldehyde-Free, complies with REACH SVHC, and meets VOC Emissions/Indoor Air Quality requirements per FloorScore / California Section 01350.

OTHER PRODUCT NOTES:

### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

#: 38.0000 - 42.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Polymer
----------------------	-----------	----------	----------	---------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

### CALCIUM CARBONATE

ID: 471-34-1

#: 33.0000 - 37.0900	GS: BM-3	RC: None	NANO: No	ROLE: Filler
----------------------	----------	----------	----------	--------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

#: 18.0100 - 20.8300	GS: BM-3	RC: None	NANO: No	ROLE: Plasticizer
----------------------	----------	----------	----------	-------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**SILICA, AMORPHOUS**

ID: 7631-86-9

#: <b>0.3158 - 0.3459</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Additive</b>
---------------------------	------------------	-----------------	-----------------	-----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**CANCER**

Japan - GHS

Carcinogenicity - Category 1A

**CANCER**

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

**SOYBEAN OIL, EPOXIDIZED, ME ESTER, REACTION PRODUCTS WITH PROPYLENE GLYCOL**

ID: 96690-51-6

#: <b>0.2275 - 0.2382</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Stabilizer</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**None Found**

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**2-PROPENOIC ACID, METHYL ESTER, POLYMER WITH 1,1-DICHLOROETHENE**

ID: 25038-72-6

#: <b>0.2275 - 0.2382</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Stabilizer</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**None Found**

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**BARIUM DISTEARATE**

ID: 6865-35-6

#: <b>0.2275 - 0.2382</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Stabilizer</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**None Found**

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**ZINC STEARATE**

ID: 557-05-1

#: <b>0.2275 - 0.2382</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Stabilizer</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

## 2-(ACRYLOYLOXY)ETHANOL

ID: 818-61-1

#: **0.1504 - 0.1598** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

## 2-HYDROXYPROPYL ACRYLATE

ID: 999-61-1

#: **0.0970 - 0.1250** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **UV Layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled

SUBSTANCE NOTES:

## BENZOPHENONE

ID: 119-61-9

#: **0.0381 - 0.0410** GS: **LT-1** RC: **None** NANO: **No** ROLE: **UV Layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen

ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

**METHYL BENZOYLFORMATE**

ID: 15206-55-0

#: **0.0271 - 0.0290**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **UV Layer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**GLYCEROL PROPOXYLATE TRIACRYLATE**

ID: 52408-84-1

#: **0.0271 - 0.0290**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **UV Layer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**1,6-HEXANEDIOL DIACRYLATE**

ID: 13048-33-4

#: **0.0271 - 0.0290**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **UV Layer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
SKIN IRRITATION	EU - GHS (H-Statements)      H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)      H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)      H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters      Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK      Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/Shannon\\_2017\\_SCS-FS-04567\\_s7.pdf](https://www.scs-certified.com/products/cert_pdfs/Shannon_2017_SCS-FS-04567_s7.pdf)

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE:

**2017-09-30**

EXPIRY DATE:

**2018-11-30**

CERTIFIER OR LAB:

**SCS Global Services**

### VOC CONTENT

### REACH SCHC

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: **2017-01-26**

EXPIRY DATE:

CERTIFIER OR LAB: **FITI Testing & Research Institute**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### USE ADHESIVES RECOMMENDED BY THE FLOORING MANUFACTURER

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

See [www.shannonspecialtyfloors.com](http://www.shannonspecialtyfloors.com) for recommended adhesives. Use adhesives recommended by the flooring manufacturer.

## Section 5: General Notes

N/A



## MANUFACTURER INFORMATION

MANUFACTURER: **Shannon Specialty Floors, Inc.**

ADDRESS: **1005 South 60th Street**

**Milwaukee WI 53214, USA**

WEBSITE: **www.shannonspecialtyfloors.com**

CONTACT NAME: **Tim Davis**

TITLE: **Technical Services and Sustainability Manager**

PHONE: **800-522-9166**

EMAIL: **timd@shannonspecialtyfloors.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*